








www.stonepeakceramics.com

Next Generation of Panels 5
Comparison chart 10
F.A.C.T
Quality Assurance 11
Introduction 12
Product description – the innovation 12
Various applications of StonePeak large porcelain panels 13
Plane colors14
General instructions
Packaging information 55
Technical specifications 58
Limitations and responsibilities 59

1



# P L IN N E

StonePeak leads the way forward with a new generation of panels. Through concentrated research and ongoing innovative experience, we have patented the first 5 ft. x 10 ft. large porcelain panel of its kind.

A new formulation and composition of raw materials allows for a 6 mm, full-body, light weight panel with no fiberglass back netting. State-of-the-art technology provides the durable, technical characteristics of porcelain with the aesthetic beauty of a natural slab of quarried stone or stained concrete.

This breakthrough panel gives a fresh look to continuous surfaces, providing a potential endless array of uses for residential, commercial, floor, wall cladding, interior, and exterior applications.











shown is 5'x10' Silver Plane replacing old 2"x2" tile for a fresh new installation appearance

PLANE NE

# COMPARISON CHART

Characteristics:	StonePeak Plane Panels	Quartz Surface	Granite	Marble Concrete	Stain Concrete	Laminate
Scratch Resistant	* * *	***	***	**	*	**
Stain Resistant	***	* * *	**	*	*	* * *
Crack Resistant	***	***	**	*	*	**
Heat and Burn Resistant	***	**	**	**	* *	**
Resistant to Many Household Chemicals, Acids and Solvents	***	* * *	**	**	*	**
Low Maintenance	* * *	* * *	**	**	*	**
Nonabsorbent and Nonporous	***	* * *	**	**	*	**
Mold and Mildew Resistant	* * *	***	**	*	* *	**
Flexural Strength	* * *	* * *	*	*	*	*
Color Consistency	* * *	***	*	*	**	***
Immunity to Freeze and Thaw	* * *	* * *	* * *	*	*	*

key: \*\*\* Excellent | \*\* Good | \* Fair

#### NEXT GENERATION OF PANELS

#### TECHNICAL FEATURES

🖞 FLEXIBLE	DENERGY EFFICIENT
🖈 ABUSE RESISTANT	対 NO VOCs
🗹 HEAT PROOF	otal NO ARTIFICIAL BINDERS
🗹 FROST PROOF	otal crack resistant
対 MOLD RESISTANT	🖞 FLAME RESISTANT

#### USES

- FLOORS
- 🗹 WALLS
- ✓ EXTERIORS
- COUNTERTOPS

VENEERS

Ρ

ΝΕ

PARTITIONS

SIZES THICKNESS

5′x10′	10mm (approx. ¾″)					
5′x10′	6mm (approx. ¼")					
5′x5′	6mm (approx. ¼")					
2.5′x5′	6mm (approx. ¼")					
2.5′x2.5′	6mm (approx. ¼")					
1.25′x2.5′	6mm (approx. ¼")					

#### PANELS MADE FOR FLOOR APPLICATION

ASTM C627 Robinson Floor Test classified as "EXTRA HEAVY"



#### SEAMLESS WALL AND FLOOR PANELS






Shipping



Cutting and holes



Manipulation



Installation

#### F.A.C.T., Factory Advanced Comprehensive Training

Please contact:

FACT@stonepeakceramics.com for further information and to participate in a training session.



#### UTILIZATION EXAMPLES:



EXTERIORS





INTERIORS

COUNTERTOPS



F.A.C.T., Factory Advanced Comprehensive Training, is implemented in our Tennessee manufacturing facility by experts knowledgeable with large porcelain panels. Following procedural training course activities and successful completion of F.A.C.T. testing, participants are ready to confidently begin installing panels now possessing the technical aspects and hands on experience this "one of a kind" training offers.

Please contact **FACT@stonepeakceramics.com** for further information and to participate in a training session.



# PLEANDE PORCELAIN PANELS

# **Quality Assurance Certificate**

Congratulations on purchasing exquisite large porcelain panels,

P L A N E by StonePeak.

These innovative large porcelain panels with state-of-the-art technology provide the aesthetics of a beautiful marble or stone, but contain the durability of porcelain.

For these reasons and your investment, we educate and train installers throughout the nation at our Large Porcelain Panel Training Center in our manufacturing facility to properly handle, fabricate, and install these panels.

A factory trained installer is highly recommended for installation. Please ask your retailer for a list of certified contractors.



#### www.stonepeakceramics.com

StonePeak Ceramics, Inc. | 314 W. Superior Street | Chicago, IL 60654 Phone: 312-506-2800 | Fax: 312-335-0533 | www.stonepeakceramics.com

## INTRODUCTION

The purpose of this manual is to define basic technical requirements and provide suggestions and guidelines related to the introduction of StonePeak's large porcelain panels in regard to design, usage, installation and maintenance.

#### **PRODUCT DESCRIPTION – THE INNOVATION**

StonePeak large porcelain panels consist of a new formulation and composition of raw materials, which allows for a light weight, full-body panel with no fiberglass back netting offered in up to a 5'x10' size. These state-of-the-art panels are made of 100% natural minerals, and do not use any tints or polymers to create the various colors offered. Like all StonePeak products, they are manufactured utilizing key elements including Quartz, Clays, Kaolin, and Feldspar.

This innovative product gives a fresh look to continuous surfaces, providing a potentially endless array of uses for residential, commercial, floor, wall cladding, interior, and exterior applications.

#### **VARIOUS APPLICATIONS OF STONEPEAK LARGE PORCELAIN PANELS**

StonePeak large porcelain panels are ideal for use of interior and exterior applications such as: wall cladding, floors, stairs, partitions, kitchen countertops, bathroom vanities, exterior facades, and also wherever high quality, sanitary and low maintenance surfaces are required.

StonePeak large porcelain panels offer many advantages:

- Flexibility
- Resistance to heat
- Resistance to frost
- Resistance to mold
- Resistance to stain
- Energy efficient
- Continuous surfaces with minimal grout lines
- Washable, non-absorbent solid surfaces
- No VOCs
- No artificial binders





#### **TECHNICAL SPECIFICATIONS**

StonePeak large porcelain panels use state-of-the-art technology which provides the durable technical characteristics of porcelain with the aesthetic beauty of a natural panel of quarried stone, stained concrete, or weathered metal. Technically superior to a terrazzo, carpet, and VCT floor, this unique product brings porcelain tile to a new level of end user.

#### **1. DIMENSIONS**


StonePeak large porcelain panels can be manufactured in a wide range of sizes to accommodate any application.

#### Plane Collection Standard Sizes

(± 6mm; nominal sizes/actual sizes listed are based on caliber 0):

NOMINAL  $150 \times 300 \text{ cm} = 5' \times 10' \quad (60'' \times 120'')$   $150 \times 300 \text{ cm} = 5' \times 10' \quad (60'' \times 120'')$   $150 \times 150 \text{ cm} = 5' \times 5' \quad (60'' \times 60'')$  $75 \times 150 \text{ cm} = 2.5' \times 5' \quad (30'' \times 60'')$ 

75x75cm = 2.5'x2.5' (30"x30") 37.5x75cm = 1.25'x2.5'(15"x30")



Panels are rectified and allow installations with a tighter grout joint. Rectification is achieved by utilizing a new technology that is even more precise than traditional rectified porcelain products.

#### 2. VARIATION & COLOR CONSISTENCY

Slight variation in color may occur from batch to batch of production due to the location from which the natural materials are sourced. To ensure absolute uniformity, please consider ordering extra material for overstock and repairs.

#### **3. ABSORPTION**

StonePeak large porcelain panels are nonporous with water absorption of less than 0.5%. No sealants are recommended for these products as they will not penetrate the surface of the material.

ZEBRIINO MICHELANGELO	15
CALACATTA VENA A B	16
CALACATTA VENA CLASSICO	17
EXTRA VENA A B	18
EXTRA VENA	19
ARABESCATO VENA A B	20
PAONAZZETTO VENA	21
FANTASY BRIGHT	22
FANTASY GOLD	23
FANTASY CLOUD	24
CRYSTAL VENA	25
MARFIL VENA	26
WHITE SAND PLANE	27
GOLDEN GLAMOUR PLANE	28
TRAVERTINO VENA	29
DARK VENA	30
NAPOLEON VENA	31
WHITE PLANE	32
SILVER PLANE	33
COPPER PLANE	34
BLACK PLANE	35
TRUE WHITE	36
TRUE BLACK	37

# PLANE ZEBRINO MICHELANGELO



USSP12060207 ZEBRINO MICHELANGELO 60"x120"- 5'x10' POLISHED



USSP6060207 ZEBRINO MICHELANGELO 60"x60"- 5'x5' POLISHED



USSP3060207 ZEBRINO MICHELANGELO 30"x60"- 2.5'x5' POLISHED



USSP3030207 ZEBRINO MICHELANGELO 30"x30"- 2.5'x2.5' POLISHED



USSP3015207 ZEBRINO MICHELANGELO 15"x30"- 1.25'x2.5' POLISHED











#### PLANE CALACATTA VENA A B

Description: A & B are "book match" faces which can be used side by side for a continuous vein effect.



USH12060088 CALACATTA VENA PLANE A 60"x120"- 5'x10' HONED USSP12060088 CALACATTA VENA PLANE A 60"x120"- 5'x10' POLISHED USH12060089 CALACATTA VENA PLANE B 60"x120"- 5'x10' HONED USSP12060089 CALACATTA VENA PLANE B 60"x120"- 5'x10' POLISHED



#### PLANE CALACATTA VENA CLASSICO

Description: Classico contains four various faces with simultaneous vein effect A,B,C,D face options available by shade for 5'x10' size only.

Please identify choice (if any) when placing order.



USH12060090 (random) CALACATTA VENA CLASSICO 60"x120"- 5'x10' HONED USSP12060090 (random) CALACATTA VENA CLASSICO 60"x120"- 5'x10' POLISHED



USH6060090 CALACATTA VENA CLASSICO 60"×60"- 5'×5' HONED USSP6060090 CALACATTA VENA CLASSICO 60"×60"- 5'×5' POLISHED



USH3060090 CALACATTA VENA CLASSICO 30"x60"- 2.5'x5' HONED USSP3060090 CALACATTA VENA CLASSICO 30"x60"- 2.5'x5' POLISHED



CALACATTA VENA CLASSICO 30"×30"- 2.5'×2.5' HONED USSP3030090 CALACATTA VENA CLASSICO 30"×30"- 2.5'×2.5' POLISHED

6

USH3015090 CALACATTA VENA CLASSICO 15"x30"- 1.25'x2.5' HONED USSP3015090 CALACATTA VENA CLASSICO 15"x30"- 1.25'x2.5' POLISHED


Mosaics, New Mosaics

4

USH12MH090 MOS.CALACATTA VENA CLASSICO 12"x12"



111







## PLANE EXTRA VENA A B

Description: A & B are "book match" faces which can be used side by side for a continuous vein effect.



EXTRA VENA A 60"x120"- 5'x10' HONED USSP12060111 EXTRA VENA A 60"x120"- 5'x10' POLISHED USH12060112 EXTRA VENA B 60"x120"- 5'x10' HONED USSP12060112 EXTRA VENA B 60"x120"- 5'x10' POLISHED



### PLANE EXTRA VENA

Description: Classico contains four various faces with simultaneous vein effect A,B,C,D face options available by shade for 5'x10' size only.

Please identify choice (if any) when placing order.



USH12060110 (random) EXTRA VENA 60"x120"- 5'x10' HONED USSP12060110 (random) EXTRA VENA 60"x120"- 5'x10' POLISHED



USH6060110 EXTRA VENA 60"×60"- 5'×5' HONED USSP6060110 EXTRA VENA 60"×60"- 5'×5' POLISHED



USH3060110 EXTRA VENA 30"x60"- 2.5'x5' HONED USSP3060110 EXTRA VENA 30"x60"- 2.5'x5' POLISHED



EXTRA VENA 30"×30"- 2.5'×2.5' HONED USSP3030110 EXTRA VENA 30"×30"- 2.5'×2.5' POLISHED

6

USH3015110 EXTRA VENA 15"x30"- 1.25'x2.5' HONED USSP3015110 EXTRA VENA 15"x30"- 1.25'x2.5' POLISHED

Mosaics, New Mosaics

4

USH12MH110 MOS.EXTRA VENA 12"×12"







#### PLANE ARABESCATO VENA A B



ARABESCATO VENA A 60"x120"- 5'x10' POLISHED USSP12060120 ARABESCATO VENA B 60"x120"- 5'x10' POLISHED





## PLANE PAONAZZETTO VENA



USSP12060113 PAONAZZETTO VENA 60"x120"- 5'x10' POLISHED



USSP6060113 PAONAZZETTO VENA 60"x60"- 5'x5' POLISHED



USSP3060113 PAONAZZETTO VENA 30"x60"- 2.5'x5' POLISHED



USSP3030113 PAONAZZETTO VENA 30"x30"- 2.5'x2.5' POLISHED



USSP3015113 PAONAZZETTO VENA 15"x30"- 1.25'x2.5' POLISHED











# PLANE FANTASY BRIGHT



USSP12060116 FANTASY BRIGHT 60"x120"- 5'x10' POLISHED



USSP6060116 FANTASY BRIGHT 60"x60"- 5'x5' POLISHED



USSP3060116 FANTASY BRIGHT 30"x60"- 2.5'x5' POLISHED



USSP3030116 FANTASY BRIGHT 30"x30"- 2.5'x2.5' POLISHED

USSP3015116 FANTASY BRIGHT 15"x30"- 1.25'x2.5' POLISHED

## PLANE FANTASY GOLD



USSP12060115 FANTASY GOLD 60"x120"- 5'x10' POLISHED



USSP6060115 FANTASY GOLD 60"x60"- 5'x5' POLISHED



USSP3060115 FANTASY GOLD 30"x60"- 2.5'x5' POLISHED



USSP3030115 FANTASY GOLD 30"x30"- 2.5'x2.5' POLISHED

6

USSP3015115 FANTASY GOLD 15"x30"- 1.25'x2.5' POLISHED









## PLANE FANTASY CLOUD



USSP12060117 FANTASY CLOUD 60"x120"- 5'x10' POLISHED



USSP6060117 FANTASY CLOUD 60"x60"- 5'x5' POLISHED



USSP3060117 FANTASY CLOUD 30"x60"- 2.5'x5' POLISHED



USSP3030117 FANTASY CLOUD 30"x30"- 2.5'x2.5' POLISHED



USSP3015117 FANTASY CLOUD 15"x30"- 1.25'x2.5' POLISHED

### PLANE **CRYSTAL VENA**



USSP12060121 CRYSTAL VENA 60"x120"- 5'x10' POLISHED



USSP6060121 CRYSTAL VENA 60"x60"- 5'x5' POLISHED



USSP3060121 CRYSTAL VENA 30"x60"- 2.5'x5' POLISHED



CRYSTAL VENA 30"x30"- 2.5'x2.5' POLISHED



USSP3015121 CRYSTAL VENA 15"x30"- 1.25'x2.5' POLISHED











## PLANE MARFIL VENA



USH12060114 MARFIL VENA 60"x120"- 5'x10' HONED USSP12060114 MARFIL VENA 60"x120"- 5'x10' POLISHED



USH6060114 MARFIL VENA 60"x60"- 5'x5' HONED USSP6060114 MARFIL VENA 60"x60"- 5'x5' POLISHED



USH3060114 MARFIL VENA 30"x60"- 2.5'x5' HONED USSP3060114 MARFIL VENA 30"x60"- 2.5'x5' POLISHED



USH3030114 MARFIL VENA 30"x30"- 2.5'x2.5' HONED USSP3030114 MARFIL VENA 30"x30"- 2.5'x2.5' POLISHED

USH3015114 MARFIL VENA 15"x30"- 1.25'x2.5' HONED USSP3015114 MARFIL VENA 15"x30"- 1.25'x2.5' POLISHED

Mosaics, New Mosaics



USH12MH114

MOS.MARFIL VENA 12"×12"

# PLANE WHITE SAND PLANE



USH12060123 WHITE SAND PLANE 60"x120"- 5'x10' HONED



USH6060123 WHITE SAND PLANE 60"x60"- 5'x5' HONED



USH3060123 WHITE SAND PLANE 30"x60"- 2.5'x5' HONED



USH3030123 WHITE SAND PLANE 30"x30"- 2.5'x2.5' HONED



USH3015123 WHITE SAND PLANE 15"x30"- 1.25'x2.5' HONED





V2



V2

# PLANE GOLDEN GLAMOUR



USH12060124 GOLDEN GLAMOUR PLANE 60"x120"- 5'x10' HONED



USH6060124 GOLDEN GLAMOUR PLANE 60"x60"- 5'x5' HONED



USH3060124 GOLDEN GLAMOUR PLANE 30"x60"- 2.5'x5' HONED



USH3030124 GOLDEN GLAMOUR PLANE 30"x30"- 2.5'x2.5' HONED



USH3015124 GOLDEN GLAMOUR PLANE 15"x30"- 1.25'x2.5' HONED

# PLANE TRAVERTINO VENA



USH12060098 TRAVERTINO VENA 60"x120"- 5'x10' HONED USSP12060098 TRAVERTINO VENA 60"x120"- 5'x10' POLISHED



USH6060098 TRAVERTINO VENA 60"x60"- 5'x5' HONED USSP6060098 TRAVERTINO VENA 60"x60"- 5'x5' POLISHED



USH3060098 TRAVERTINO VENA 30"x60"- 2.5'x5' HONED USSP3060098 TRAVERTINO VENA 30"x60"- 2.5'x5' POLISHED



USH3030098 TRAVERTINO VENA 30"x30"- 2.5'x2.5' HONED USSP3030098 TRAVERTINO VENA 30"x30"- 2.5'x2.5' POLISHED

6

USH3015098 TRAVERTINO VENA 15"x30"- 1.25'x2.5' HONED USSP3015098 TRAVERTINO VENA 15"x30"- 1.25'x2.5' POLISHED

#### Mosaics, New Mosaics




USH12MH098 MOS.TRAVERTINO VENA 12"×12"









## PLANE DARK VENA



USSP12060122 DARK VENA 60"x120"- 5'x10' POLISHED



USSP6060122 DARK VENA 60"x60"- 5'x5' POLISHED



USSP3060122 DARK VENA 30"x60"- 2.5'x5' POLISHED



USSP3030122 DARK VENA 30"x30"- 2.5'x2.5' POLISHED



USSP3015122 DARK VENA 15"x30"- 1.25'x2.5' POLISHED

## PLANE NAPOLEON VENA



USP12060118 NAPOLEON VENA 60"x120"- 5'x10' POLISHED



USP6060118 NAPOLEON VENA 60"x60"- 5'x5' POLISHED



USP3060118 NAPOLEON VENA 30"x60"- 2.5'x5' POLISHED



USP3030118 NAPOLEON VENA 30"x30"- 2.5'x2.5' POLISHED



USP3015118 NAPOLEON VENA 15"x30"- 1.25'x2.5' POLISHED











# PLANE WHITE PLANE



USH12060087 WHITE PLANE 60"x120"- 5'x10' HONED USSP12060087 WHITE PLANE 60"x120"- 5'x10' CHROME



USH6060087 WHITE PLANE 60"x60"- 5'x5' HONED USSP6060087 WHITE PLANE 60"x60"- 5'x5' CHROME



USH3060087 WHITE PLANE 30"x60"- 2.5'x5' HONED USSP3060087 WHITE PLANE 30"x60"- 2.5'x5' CHROME



USH3030087 WHITE PLANE 30"x30"- 2.5'x2.5' HONED USSP3030087 WHITE PLANE 30"x30"- 2.5'x2.5' CHROME

#### 6

USH3015087 WHITE PLANE 15"x30"- 1.25'x2.5' HONED USSP3015087 WHITE PLANE 15"x30"- 1.25'x2.5' CHROME

## PLANE SILVER PLANE



USH12060086 SILVER PLANE 60"x120"- 5'x10' HONED USSP12060086 SILVER PLANE 60"x120"- 5'x10' CHROME



USH6060086 SILVER PLANE 60"x60"- 5'x5' HONED USSP6060086 SILVER PLANE 60"x60"- 5'x5' CHROME



USH3060086 SILVER PLANE 30"x60"- 2.5'x5' HONED USSP3060086 SILVER PLANE 30"x60"- 2.5'x5' CHROME



USH3030086 SILVER PLANE 30"x30"- 2.5'x2.5' HONED USSP3030086 SILVER PLANE 30"x30"- 2.5'x2.5' CHROME



USH3015086 SILVER PLANE 15"x30"- 1.25'x2.5' HONED USSP3015086 SILVER PLANE 15"x30"- 1.25'x2.5' CHROME





V2





## PLANE COPPER PLANE



USH12060092 COPPER PLANE 60"x120"- 5'x10' HONED USSP12060092 COPPER PLANE 60"x120"- 5'x10' CHROME



USH6060092 COPPER PLANE 60"x60"- 5'x5' HONED USSP6060092 COPPER PLANE 60"x60"- 5'x5' CHROME



USH3060092 COPPER PLANE 30"x60"- 2.5'x5' HONED USSP3060092 COPPER PLANE 30"x60"- 2.5'x5' CHROME



USH3030092 COPPER PLANE 30"x30"- 2.5'x2.5' HONED USSP3030092 COPPER PLANE 30"x30"- 2.5'x2.5' CHROME



USH3015092 COPPER PLANE 15"x30"- 1.25'x2.5 HONED USSP3015092 COPPER PLANE 15"x30"- 1.25'x2.5' CHROME

## PLANE BLACK PLANE



USH12060091 BLACK PLANE 60"x120"- 5'x10' HONED USSP12060091 BLACK PLANE 60"x120"- 5'x10' CHROME



USH6060091 BLACK PLANE 60"x60"- 5'x5' HONED USSP6060091 BLACK PLANE 60"x60"- 5'x5' CHROME



USH3060091 BLACK PLANE 30"x60"- 2.5'x5' HONED USSP3060091 BLACK PLANE 30"x60"- 2.5'x5' CHROME



USH3030091 BLACK PLANE 30"x30"- 2.5'x2.5' HONED USSP3030091 BLACK PLANE 30"x30"- 2.5'x2.5' CHROME

6

USH3015091 BLACK PLANE 15"x30"- 1.25'x2.5' HONED USSP3015091 BLACK PLANE 15"x30"- 1.25'x2.5' CHROME








V2

## PLANE **TRUE WHITE**



USH12060094 TRUE WHITE 60"x120"- 5'x10' HONED USP12060094 TRUE WHITE 60"x120"- 5'x10' POLISHED



USH6060094 TRUE WHITE 60"x60"- 5'x5' HONED USP6060094 TRUE WHITE 60"x60"- 5'x5' POLISHED

TRUE WHITE 30"x60"- 2.5'x5' POLISHED

TRUE WHITE 30"x30"- 2.5'x2.5' HONED

TRUE WHITE 30"x30"- 2.5'x2.5' POLISHED

TRUE WHITE 15"x30"- 1.25'x2.5' HONED



USP3060094

USP3030094

6 USH3015094

USP3015094

3 USH3030094

2





USH3060094 TRUE WHITE 30"x60"- 2.5'x5' HONED



TRUE WHITE 15"x30"- 1.25'x2.5' POLISHED

## **PLANE TRUE BLACK**





USH12060093 TRUE BLACK 60"x120"- 5'x10' HONED USP12060093 TRUE BLACK 60"x120"- 5'x10' POLISHED



USH6060093 TRUE BLACK 60"x60"- 5'x5' HONED USP6060093 TRUE BLACK 60"x60"- 5'x5' POLISHED






USH3060093 TRUE BLACK 30"x60"- 2.5'x5' HONED USP3060093 TRUE BLACK 30"x60"- 2.5'x5' POLISHED



USH3030093 TRUE BLACK 30"x30"- 2.5'x2.5' HONED USP3030093 TRUE BLACK 30"x30"- 2.5'x2.5' POLISHED

6

USH3015093 TRUE BLACK 15"x30"- 1.25'x2.5' HONED USP3015093 TRUE BLACK 15"x30"- 1.25'x2.5' POLISHED



V2

General instructions	39
1. Packaging	
2. Product identification	
3. Shipping	
4. Handling	
5. Proper handling tools	
6. Other tools and materials needed	
7. Manipulation (full cuts, cut outs, & mitered edges)	
8. Floor/Wall installation	
9. Exterior installation	
10. Fabrication of countertops	
Cleaning & maintenance	50
Recommended cleaners & contact information	50
Recommended accessories	54
Tools	
Blades / Bits	
Building products / Backerboards	
Adhesives (colored epoxy glue, etc.)	
Setting materials (thin set, grout, etc.)	
Trowels	
Technical Specification Chart	58

## GENERAL INSTRUCTIONS



#### **1. PACKAGING**



Example: A-Frame

5'x10' panels may be transported vertically. (see example).

• **A-frame** packaging can hold up to 50 pieces of 5'x10' porcelain panels vertically.

Full 20 ft. containers hold 150 pieces (3 total A-frames).

• Other size packaging:

15"x30", 30"x30", and 30"x60" are regularly packaged in a box and shipped in wood crates.

60"x60" are shipped flat in reinforced crates, holding 24 pieces per crate, or on an A-frame holding up to 48 pieces.

#### 2. PRODUCT IDENTIFICATION

Each full crate will include a product sticker with the product description, shade, size, and code, along with a packing slip for details of shipment and material. All smaller shipments will only include the packing slip.

If a special shade is needed, it should be indicated on the purchase order. When ordering the same material multiple times, the same (original) shade cannot be guaranteed.

	ST	SoundAnder K.J.A dur Koltz Kird, 113 Contellargen (Regus Erected) Holy			
Item Code:	USSP12	2060098			
Item Desc:	150X300	TRAVERTI	NO VENA F	POL.	P 807215 - 009781
Choice: 1	Ref: P42	PCS per			
Kg per PCS :	63.32	Kg per load: 3166.00			30950185
Lot: 1	611030904	M	ade in Italy		
cm 300X150	W: 3002 mm	X 1500 mm +	/- 0,1%		
Shipmen	tID 4331	18	time (	e 🖾 🚘	
asci 13006 Enili G EN Potshed materials an			South sector in sec. 4		



Example of Italian Factory A-frame ProductTag



**3. SHIPPING** 

#### FOR ALL 120"x 60" PANELS:

Vertical transportation is preferred by using "A-frame" packaging. For Local Shipping, always use an A-frame (see example A on page 39).



• 8ft. fork extensions are required to unload the large panel container.

• When uncrating the panels, always apply clamps on an A-frame before strapping band is cut from the A-frame.

- On all LTL shipments, always strap A-frames securely inside of cab. Never clamp them.
- We do not recommend using the same A-frame to ship with as that received from the Italian factory. Contact your representative for more information.



Clamp shown on A-Frame



8ft. forklift extensions



A-frame properly strapped to open truck



A-frame shown being unloaded from a container



#### 4. HANDLING

# When taking delivery of large porcelain panels (120"x60" & 60"x60"), please make sure of the following:

- It is important to examine every shipment to notate any damage on BOL or a claim may be refused.
- If you detect any defect after taking delivery of the panels, and prior to cutting, do not proceed with the processing and contact your sales or customer service representative immediately.
- Transport of 12 panels or less should be shipped in open A-frame with flat back support. The A-frame must always be strapped, never clamped.
- When standing panels upright, be sure to use proper base support. The use of two support pieces about 2" thick and 24" from each end of the panel, or a solid base with protective cushioning is recommended.

#### **5. PROPER HANDLING TOOLS**

When moving the panels or crates, please use proper handling tools.

A.Forklift Extension

**B.Suction Cups** 

C.MovingTools (see page 51)

D.Forklift Pinch Clamp by Abaco Machines or similar



Example of forklift extensions



Example of suction cup handles being used. Panel weight is approximately 140 lbs. and no more than 2 experienced people are suggested to move.



Example of forklift boom & pinch clamp

## 6. OTHER TOOLS & MATERIALS NEEDED TO WORK WITH LARGE PORCELAIN PANELS



- Rigid working table to match the dimension of the panels (120"x60" OR LARGER)
- Scoring tools
- Variable speed right angle grinder with electroplated diamond blades (See page 43 & 45 for photos)
- List of tools & materials needed for porcelain panel installation jobs

Tape measure Framing square Marking pencil / china marker Chalk line Grid (graph) paper Carpenter's triangle Safety glasses Safety glasses Safety gloves Knee pads Buckets Drill and mixing paddle Spray bottle Trowel specific to large panels 2 x 4 Rubber mallet Sponges Abrasive stone Manual tile cutter Tile nipper Grout float Cheesecloth Tile spacer / Leveling system Water Thin-set mortar Grout Painter's tape Grout haze / film remover Grout sealer StainBlocker for grout Paper towels



#### 7. MANIPULATION (FULL CUTS, CUT OUTS, MITERED EDGES

The **"score and snap"** is the preferred method for **straight cuts** (from one end of the panel to the other) using a recommended tool. (See page 51-52 – for tool suppliers.)



• When planning a cut that will be the full length of the panel, either with a plunge cut, or starting at the edge, mark and drill a relief hole at the termination point of the cut, then cut towards the relief hole. Properly support piece equally across entire surface of the piece when setting in mortar and prior to handling for installation.

- When planning a **plunge cut**, drill a relief hole with an electroplated core bit at the termination point of the cut, prior to beginning the cut. Always cut towards the relief hole.
- When planning a "U" shaped cut, mark, and drill relief holes where the cut lines will intersect. Always make

the shortest cuts first, leaving your waste/dropout attached to the largest part of your desired piece for the final cut.

• When planning an **"L" shaped cut**, mark and drill relief holes where the cut lines will intersect, always cut the shortest length first, and cut towards the relief hole.

• When manipulating large porcelain panels, a variable speed right angle grinder is strongly suggested to reduce vibration. Electroplated diamond blades or electroplated diamond drill bits should be used for various cuts and manipulations.


(See page 51-52 – for tool suppliers.)




#### **IMPORTANT:** Always cut towards the relief hole.



When cutting a "U" shaped piece, mark, and drill relief holes where the cut lines intersect, always make the shortest cut first.



When cutting an "L" , drill relief holes where the cut lines intersect, always make the shortest cut first.



Color matched or tinted polyester, epoxy compounds or equivalent are often used to fill edges and bring the pieces together to form a smooth transition.



# ALWAYS PROPERLY SUPPORT EACH PIECE PRIOR TO INSTALLATION.

For circular cut outs, a circular electroplated diamond core bit must be used with a variable speed grinder or drill.




Example of initial drawing for plumbing fixtures cut out

Image shows use of drill with electroplated diamond core bit.

For straight line cut outs, a variable speed grinder with electroplated diamond blades must be used. Relief holes or cuts before planning a square or rectangular shape are necessary.



Example of variable speed grinder using diamond electroplated blade to make straight line cut out



Clean cut out complete

When possible, it is best to fabricate niches and holes after the panel is already installed with thin set on wall or floor. If it is not possible to cut holes or square/rectangular cuts (fireplace, sink, etc.)before the panel is installed, create full support with plywood or MDF panel template with same shapes and cuts to attach and transport the porcelain panel. Support panels should only be detached when porcelain panels are fully bonded to the substrate. It is also possible to move panels with proper moving tools made of multiple suction cups to avoid tension of the panel after it is cut.



IT IS IMPORTANT TO AVOID STRESS AND TORSION TO THE ALREADY CUT PANEL.



Material can be mitered using proper tools. Colored or tinted compounds such as polyester, epoxy, or equivalent are often used to fill edges and bring the 45 degree miter cuts together.

Please see image below of 45 degree miter cut.



Material can be bullnosed the same as regular porcelain.

#### 8. FLOOR / WALL INSTALLATION

Large porcelain panels can be installed over concrete or other suitable substrates. You must honor all expansion joints or any defects in the substrate and mitigate prior to installation.

The back of the panel and substrate should be spread the same direction at the shortest distance with a modified LFT thin set mortar to achieve 100% coverage. Flatness must be considered when installing large porcelain panels. The TCNA Handbook states, "The finish flatness requirement for ceramic tile installations is 1/4" in 10' according to ANSI A108.02. The finish flatness requirement for stone installations is 1/8" in 10' according to MIA. If a more stringent finish flatness tolerance is desired, it must be clearly specified and the subsurface tolerance must be adjusted accordingly."



Example of full skim coat being applied

Self-leveling systems are required to acheive desired flatness between joints. Fill any voids with the mortar for complete support.

Recommended tools and techniques need to be used to ensure full bond of the panel.

Recommended techniques should be followed to move air out from underneath the panels.

(See preferred trowels page 54).

#### 8. FLOOR / WALL ISNTALLATION CONTINUED





Self-leveling system being used for floor installation

Example of proper full mortar coverage

The setting material manufacturers have vast experience in the installation of porcelain tiles and large porcelain panels. Accordingly, we strongly recommend that the installer should contact the relevant setting material manufacturers and seek their advice prior to installation of our large porcelain panels. (See referenced manufacturers page 53 for contact details).

It is very important to spread thin set the same direction on both the substrate and the panel, the shortest direction of panels. Recommended thin sets are: LFT by Mapei, Prolite by Custom, 254 Platinum by Laticrete, and x77 Walls & x78 Floors by Ardex. (See referenced manufacturers page 57 for contact details). Place tile into the fresh mortar and firmly press to cause the ridges to flatten out and come together into a continuous void-free bed. Install desired spacers/levelers of preferred grout joint design width.

NOTE: Recommended 1/8" grout joint width should be maintained throughout the entire installation. Countertop seams can be butted.

Polymer added sanded and unsanded grout, epoxy grout, silicone, or polyurethane can be used to fill the joints. If using epoxy grout, make sure to follow proper cleaning instruction within the manufacturers' specific time frame.

StonePeak does not accept any responsibility nor does it recommend a particular method of installation. It is the responsibility of the installer/buyer to design the tiling system based on the advice obtained from the setting material manufacturer.



#### 9. EXTERIOR INSTALLATION

Large porcelain panels are ideal for exterior cladding of walls and vertical applications. Contact manufacturer for further information or to become a certified installer.



Example of exterior cladding

WE OFFER MECHANICAL AND BONDED TECHNIQUES.



#### **10. FABRICATION OF COUNTERTOPS**

Large porcelain panels are ideal for countertop installation with the proper substrate. Contact manufacturer to become a trained fabricator.



Example of countertop and backsplash

## CLEANING & MAINTENANCE



#### FIRST CLEANING POST INSTALLATION

#### A PROPER INITIAL CLEANING AFTER INSTALLATION IS SUGGESTED. PROFESSIONAL CLEANERS SHOULD BE USEDTO MAKE SURE ALL CONSTRUCTION RESIDUES ARE COMPLETELY REMOVED. (See below for recommended professional cleaners.)

Construction particles, dust, sand, and debris should be removed from the panel surface by sweeping with a soft brush. Sand and other abrasive materials may scratch the floor; therefore the surfaces should always be kept free from dust, sand, and soil. StonePeak large porcelain panel surfaces should be properly covered and protected after the installation, and up to the completion of all construction.

#### **ORDINARY MAINTENANCE**

Large porcelain panels are a high quality, solid, nonporous product that require minimum maintenance. (For daily maintenance, see below for recommended household cleaners.)

### RECOMMENDED CLEANERS & CONTACT INFORMATION

#### **RECOMMENDED CLEANERS FOR PROFESSIONAL USE**

#### FILA CLEANING SOLUTIONS

FILA 10800 N.W. 21st Street #170 Miami, FL 33172 Phone 305.724.8939 Website www.filasolutions.com For organic residue removal FILA PS87 For cement-based residue removal FILA DETERDEK For epoxy removal FILA CR10

#### AQUA MIX

AQUA MIX 7711 Center Ave Ste 500 Huntington Beach, CA 92647 TF 800-272-8786 www.aquamix.com

#### HILLYARD, INC.

HILLYARD, INC. 302 North 4th Street St. Joseph, MO 64501 TF 800.365.1555 Fax 800.861.0256 Website www.hillyard.com For lead or metal residue removal For contractor pencil marks For removal of metal marks Crème Clean

# RECOMMENDED CLEANERS FOR DAILY USE

#### HOUSEHOLD CLEANERS

Magic Eraser Melamine Pad Brasso Gel Lysol Gel All purpose ceramic cleaner Windex Baking Soda Ammonia



# RECOMMENDED INSTALLATION ACCESSORIES INFORMATION

#### TOOLS

#### SIGMA / ETMTOOLS

European Tile Masters, Inc. 27 Copper Ridge Rd Trout Creek, MT. 59874 Phone 954.917.3599 Fax 954.917.3539 www.europeantilemasters.com www.toolsfortile.com

#### WEHA

WEHA USA 625 Griffith Rd Suite 120 Charlotte, NC 28217 Phone 704.940.0115 www.wehausa.com

#### RAIMONDITOOLS

Donnelly Distribution LLC N 56 W 24790 N Corporate Circle Unit A Sussex, WI 53089 TF 800.625.6686 Phone 262.820.1212 Fax 262.820.1226 www.donnellydist.com

#### RUSSOTRADING COMPANY INC

RUSSOTRADING COMPANY, INC. 4235 N 127th St. Brookfield, WI 53005 Phone 855.782.8665 Fax 262.790.2177 www.RTCproducts.com

#### ABACO MACHINES USA (BOOM, PINCH CLAMP)

ABACO MACHINES USA 14508 S Garfield Ave Paramount, CA 90723 Phone 310.532.0366 Fax 310.532.0499 www.abacomachines.com

#### OMEGA DIAMOND INC

OMEGA DIAMOND INC. 10125 Ophir Road Newcastle, CA 95658 Phone 888.996.4777 Fax 530.885.3785 www.omegadiamond.com RECOMMENDED INSTALLATION ACCESSORIES INFORMATION CONTINUED

# PL NE

#### **BLADES/BITS**

#### CYCLONE

DIAMAX INDUSTRIES 949 W Marietta St X100 Atlanta, GA 30318 Phone 404.817.3232 www.diamaxinc.com

#### ETM

European Tile Masters, Inc. 27 Copper Ridge Rd Trout Creek, MT. 59874 Phone 954.917.3599 Fax 954.917.3539 www.europeantilemasters.com www.toolsfortile.com

#### **BUILDING PRODUCTS / BACKERBOARDS**

#### WEDI BOARD

WEDI Corportation 171 S Gary Ave Carol Stream, IL 60188 Phone 877.933.wedi (9334) Fax 847.357.9819 www.wedicorp.com

#### USG (CEMENT BOARD)

USG US Corporate Office 550 West Adams Street Chicago, IL 60661 Phone 312.436.4000 www.usg.com

#### HARDIEBACKER BOARD

Available at most local hardware stores

#### KERDI BOARD

SCHLUTER SYSTEMS L.P. 194 Pleasant Ridge Road Plattsburgh, NY 12901-5841 TF 800.472.4588 Fax 800.477.9783 www.schluter.com

#### GOBOARD

Johns Manville Corporate Office P. O. Box 5108 Denver, CO 80217-5108 Phone: 303.978.2000 www.jm.com



#### ADHESIVES (COLORED EPOXY GLUE, ETC.)

#### **TENAX**

TENAX USA 625 Griffith Rd Suite 120 Charlotte, NC 28217 Phone 704.583.1173 www.tenax4you.com

#### AKEMI

INNOCHEM Innovative Chemicals 4030 Pleasantdale Road Suite F Doraville, GA 30340 Phone 770.409.8789 Fax 770.409.9096 www.akemina.com

#### SETTING MATERIALS (THIN SET, GROUT, ETC.)

#### MAPEI

MAPEI Americas Headquarters 1144 E. Newport Center Drive Deerfield Beach, FL 33442 TF 800.992.6273 Fax 954.246.8805 www.mapei.us

#### LATICRETE

LATICRETE International, Inc. One LATICRETE Park North Bethany, CT 06524-3423 USA TF 800.243.4788 www.laticrete.com

#### CUSTOM BUILDING PRODUCTS

CUSTOM BUILDING PRODUCTS 7711 Center Ave Ste 500 Huntington Beach, CA 92647 TF 800.272.8786 Phone 562.598.8808 Fax 800.200.7765 www.custombuildingproducts.com

#### BOSTIK

BOSTIK, INC. 11320 W Watertown Plank Road Wauwatosa, WI 53226 TF 800.762.7845 www.bostik-us.com

#### ARDEX

ARDEX Americas 400 Ardex Park Drive Aliquippa, PA 15001 Phone 888.512.7339 www.ardexamericas.com

#### TEC

H.B. FULLER CONSTRUCTION PROJECTS INC. 1105 S Frontenac Street Aurora, IL 60504 TF 800.552.6225 Phone 562.598.8808 www.tecspecialty.com



#### TROWELS

#### FLOW RIDGETROWEL BY RAIMONDI

DONNELLY DISTRIBUTION LLC N63 W 22611 Main Street Unit C Sussex. WI 53089 TF 800.625.6686 Phone 262.820.1212 Fax 262.820.1226 www.raimondiusa.com


#### EURO NOTCH TROWEL BY ETM

EUROPEANTILE MASTERS, INC. 1830 Vista Way Margate, FL 33063 Phone 954.917.3599 Fax 954.917.3539 www.europeantilemasters.com www.toolsfortile.com

#### PREMIUM NOTCH TROWEL BY SUPERIOR BILT

PREMIUM NOTCHTROWEL BY SUPERIOR BILT 7711 Center Ave Ste 500 Huntington Beach, CA 92647 TF 800.272.8786 Phone 562.598.8808 Fax 800.200.7765 www.custombuildingproducts.com

## **Packaging Information**



E

# Packaging Information



SIZE	CODE	NAME	BOX Pieces	BOX sq.ft	CRATE Pcs	CRATE sq.ft	THICKNESS mm.	WEIGHT Lb/sq.ft
60″x60″ polished	USSP6060207 USSP6060118 USSP6060018 USSP6060098 USP6060093 USP6060094	Zebrino Michelangelo Napoleon Vena Paonazzetto Vena Travertino Vena True Black True White	1 1 1 1 1 1	24.74 24.74 24.74 24.74 24.74 24.74	24 24 24 24 24 24 24 24	593.78 593.78 593.78 593.78 593.78 593.78 593.78	6.0 6.0 6.0 6.0 6.0 6.0 6.0	2.88 2.88 2.88 2.88 2.88 2.88 2.88
60"x60" chrome	USSP6060091 USSP6060092 USSP6060086 USSP6060087	Black Plane Copper Plane Silver Plane White Plane	1 1 1 1	24.74 24.74 24.74 24.74 24.74	24 24 24 24 24	593.78 593.78 593.78 593.78 593.78	6.0 6.0 6.0 6.0	2.88 2.88 2.88 2.88 2.88
30″x60″ honed	USH3060091 USH3060090 USH3060192 USH3060110 USH3060114 USH3060124 USH3060123 USH3060086 USH3060098 USH3060093 USH3060094 USH3060097	Black Plane Calacatta Vena Classico Copper Plane Extra Vena Golden Glamour Plane Marfil Vena White Sand Silver Plane Travertino Vena True Black True White White Plane	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	24.74 24.74 24.74 24.74 24.74 24.74 24.74 24.74 24.74 24.74 24.74 24.74	24 24 24 24 24 24 24 24 24 24 24 24 24 2	618.53 618.53 618.53 618.53 618.53 618.53 618.53 618.53 618.53 618.53 618.53 618.53 618.53 618.53	$\begin{array}{c} 6.0\\ 6.0\\ 6.0\\ 6.0\\ 6.0\\ 6.0\\ 6.0\\ 6.0\\$	2.88 2.88 2.88 2.88 2.88 2.88 2.88 2.88
30″x60″ polished	USSP3060207 USSP3060122 USSP3060110 USSP3060110 USSP3060117 USSP3060115 USSP3060115 USSP3060114 USSP3060113 USSP3060113 USSP3060098 USP3060093 USP3060094	Zebrino Michelangelo Calacatta Vena Classico Dark Vena Extra Vena Fantasy Bright Fantasy Cloud Fantasy Gold Crystal Vena Marfil Vena Napoleon Vena Paonazzetto Vena Travertino Vena True Black True White	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	24.74 24.74 24.74 24.74 24.74 24.74 24.74 24.74 24.74 24.74 24.74 24.74 24.74 24.74	25 25 25 25 25 25 25 25 25 25 25 25 25 2	618.53 618.53 618.53 618.53 618.53 618.53 618.53 618.53 618.53 618.53 618.53 618.53 618.53 618.53 618.53 618.53	$\begin{array}{c} 6.0\\ 6.0\\ 6.0\\ 6.0\\ 6.0\\ 6.0\\ 6.0\\ 6.0\\$	2.88 2.88 2.88 2.88 2.88 2.88 2.88 2.88
30"x60" chrome	USSP3060091 USSP306009 USSP3060086 USSP3060087	Black Plane Copper Plane Silver Plane White Plane	2 2 2 2	24.74 24.74 24.74 24.74 24.74	25 25 25 25 25	618.53 618.53 618.53 618.53 618.53	6.0 6.0 6.0 6.0	2.88 2.88 2.88 2.88 2.88
30″x30″ honed	USH3030091 USH3030090 USH3030092 USH3030110 USH3030124 USH3030123 USH3030123 USH3030086 USH3030098 USH3030093 USH3030094 USH3030094	Black Plane Calacatta Vena Classico Copper Plane Extra Vena Golden Glamour Plane Marfil Vena White Sand Silver Plane Travertino Vena True Black True White White Plane	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	18.56 18.56 18.56 18.56 18.56 18.56 18.56 18.56 18.56 18.56 18.56 18.56 18.56	25 25 25 25 25 25 25 25 25 25 25 25 25 2	668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02	$\begin{array}{c} 6.0\\ 6.0\\ 6.0\\ 6.0\\ 6.0\\ 6.0\\ 6.0\\ 6.0\\$	2.88 2.88 2.88 2.88 2.88 2.88 2.88 2.88
30″×30″ polished	USSP3030207 USSP3030090 USSP3030121 USSP3030112 USSP3030116 USSP3030116 USSP3030115 USSP3030115 USSP3030113 USSP30300113 USSP3030098 USP3030094	Zebrino Michelangelo Calacatta Vena Classico Crystal Vena Dark Vena Extra Vena Fantasy Bright Fantasy Cloud Fantasy Gold Marfil Vena Napoleon Vena Paonazzetto Vena Travertino Vena True Black True White	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	$\begin{array}{c} 18.56\\ 18.56\\ 18.56\\ 18.56\\ 18.56\\ 18.56\\ 18.56\\ 18.56\\ 18.56\\ 18.56\\ 18.56\\ 18.56\\ 18.56\\ 18.56\\ 18.56\\ 18.56\\ 18.56\\ 18.56\end{array}$	36 36 36 36 36 36 36 36 36 36 36 36 36 3	668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02	$\begin{array}{c} 6.0\\ 6.0\\ 6.0\\ 6.0\\ 6.0\\ 6.0\\ 6.0\\ 6.0\\$	2.88 2.88 2.88 2.88 2.88 2.88 2.88 2.88
30"×30" chrome	USSP3030091 USSP3030092 USSP3030086 USSP3030087	Black Plane Copper Plane Silver Plane White Plane	3 3 3 3	18.56 18.56 18.56 18.56 18.56	36 36 36 36 36	668.02 668.02 668.02 668.02	6.0 6.0 6.0 6.0	2.88 2.88 2.88 2.88 2.88

# **Packaging Information**



ZEBRINO MICHELANGELO NAPOLEON VENA	VENA CLASSICO VI	KTRA ENA A B EXTRA VENA   OPPER LANE BLACK PLANE			NTASY DUD CRYS VENA		PLANE	GOLDEN TRAVERT GLAMOUR VENA PLANE	INO DARK VENA
SIZE		CODE	NAME	Piece	Piece sq.ft	CRATE Pcs	CRATE sq.ft	THICKNESS mm.	WEIGHT Lb/sq.ft
15″x30″ honed		USH3015091 USH3015090 USH3015092 USH3015110 USH3015124 USH3015124 USH3015123 USH3015086 USH3015098 USH3015098 USH3015094 USH3015094 USH3015087	Black Plane Calacatta Vena Classico Copper Plane Extra Vena Golden Glamour Plane Marfil Vena White Sand Silver Plane Travertino Vena True Black True White White Plane	6 6 6 6 6 6 6 6 6 6	18.56 18.56 18.56 18.56 18.56 18.56 18.56 18.56 18.56 18.56 18.56 18.56	36 36 36 36 36 36 36 36 36 36 36 36 36 3	668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02		2.88 2.88 2.88 2.88 2.88 2.88 2.88 2.88
15″x30″ polished		USSP3015207 USSP3015090 USSP3015121 USSP3015122 USSP3015110 USSP3015117 USSP3015117 USSP3015117 USSP3015118 USSP3015118 USSP3015098 USP3015093 USP3015094	Zebrino Michelangelo Calacatta Vena Classico Crystal Vena Dark Vena Extra Vena Fantasy Bright Fantasy Cloud Fantasy Gold Marfil Vena Napoleon Vena Paonazzetto Vena Travertino Vena True Black True White	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	$\begin{array}{c} 18.56\\ 18.56\\ 18.56\\ 18.56\\ 18.56\\ 18.56\\ 18.56\\ 18.56\\ 18.56\\ 18.56\\ 18.56\\ 18.56\\ 18.56\\ 18.56\\ 18.56\\ 18.56\end{array}$	36 36 36 36 36 36 36 36 36 36 36 36 36 3	668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02 668.02	$\begin{array}{c} 6.0\\ 6.0\\ 6.0\\ 6.0\\ 6.0\\ 6.0\\ 6.0\\ 6.0\\$	2.88 2.88 2.88 2.88 2.88 2.88 2.88 2.88
15″x30″ chrome		USSP3015091 USSP3015092 USSP3015086 USSP3015087	Black Plane Copper Plane Silver Plane White Plane	6 6 6 6	18.56 18.56 18.56 18.56 18.56	36 36 36 36	668.02 668.02 668.02 668.02	6.0 6.0 6.0 6.0	2.88 2.88 2.88 2.88 2.88
12"x12" mosaico		USH12MH090 USH12MH110 USH12MH114 USH12MH098	Calacatta Vena Classico Extra Vena Marfil Vena Travertino Vena	4 4 4 4		- - -	- - -	6.0 6.0 6.0 6.0	Lb/piece - - - -



All sizes are nominal All Plane products are rectified

## **Technical Specifications**



PHYSICAL PROPERTIES	A S T M T E S T	INDUSTRY STANDARDS	STONEPEAK RESULTS
WATER ABSORPTION	C373	Impervious < 0.5%	≤ 0.1%
THICKNESS DIMENSION	C499	Range <u>+</u> 0.04 Inc. Max.	≤ <u>+</u> 0.04 Inc.
FACIAL DIMENSION	C499	<u>+</u> 0.25%	≤ ± 0.25%
WARPAGE AVERAGE DIAGONAL	C485	± 0.40%	≤ ± 0.40%
WARPAGE AVERAGE EDGE	C485	± 0.40%	≤ ± 0.40%
WEDGING	C502	± 0.25%	≤ ± 0.25%
BOND STRENGTH	C482	≥ 50 psi	≥ 200 psi
BREAKING STRENGTH	C648	≥ 250 lb.	≥ 350 lb.
HARDNESS (MOHS)	Scratch Test (Not regulated)	Range 0 - 10	≥7
VISIBLE ABRASION RESISTANCE	C1027	No Requirement, Range 0 - 5	Class 3 ÷ 4
DEEP ABRASION RESISTANCE FOR UN-GLAZE TILES	C1243	Impervious (Porcelain) Class P1: ≤ 175 mm	<u>≤</u> 175 mm
FROST RESISTANCE	C1026	No sample must show alterations to surface	No evidence of damage
CHEMICAL RESISTANCE	C650	No Requirement, Range E - A	Class A
STAIN RESISTANCE	C1378	No Requirement, Range E - A	Class A*
DCOF	BOT 3000	≥ 0.42*	≥ 0.42 - ≤ 0.60*
AESTHETIC CLASSIFICATION	Visual Evaluation Shade & Texture	No Requirement, Range V0 - V4	V2 - V3
LIGHT REFLECTANCE VALUE (L.R.V.)	C609	No Requirement, Range 0 - 100	10 to 80 depending on style/color seletion

\*All values given are for matte or honed material. No values are given for polished material. StonePeak does not recommend polished surfaces in areas subject to exposure from grease, oil, or water.



We have taken every care to provide complete information in this document; this information should be used as a guide in the design, installation and care of StonePeak large porcelain panels. No warranty however implied or expressed, is given in relation to the procedures outlined in this technical information guide except that is required by industry standards.

StonePeak Ceramics assumes that the designers, fabricators and installers using our large porcelain panels are familiar with all aspects outlined in the information provided, and strictly adhere to the recommendations and specifications described herein and by ANSI industry standards. Any deviation from the recommended guidelines may result in the products not performing as expected, and may result in the warranty becoming null and void. Though every care and precaution has been taken in the preparation of this document, StonePeak Ceramics assumes no responsibility for errors and/or omissions, or for the damages resulting from the use of information hereby provided.

StonePeak Ceramics shall not be liable for any loss of profit or any other loss or damage caused or alleged to have been caused either directly or indirectly as a result of any person solely relying upon any information contained in this manual.

StonePeak Ceramics reserves the right to change or modify this manual or its electronic version from time to time without notice. It is the responsibility of the consumer to consult or contact StonePeak Ceramics for the latest version or updates.

For more information and to view our informative videos for handling / shipping, cutting / fabricating, floor and wall installations of our Plane collection – large porcelain panels, please visit our website **www.stonepeakceramics.com** 





#### **StonePeak Ceramics, Inc.**

Corporate Headquarters 314 West Superior St. Chicago, Illinois 60654

t (312) 506-2800 f (312) 335-0533

info@stonepeakceramics.com www.stonepeakceramics.com

Sample Express 1-866-STPEAK1 1-866-787-3251

Production Facility 238 Porcelain Tile Dr. Crossville, Tennesse 38555

